

BOILING WATER







LAZER® ECO

LAZER® COMMERCIAL

LAZER® OFFICE



BOILING WATER

Rheem. Ready when you are.

The Rheem range of boiling water units is designed to provide the best solution to our customers' needs, whether it's in the boardroom, office or commercial kitchen.

We manufacture reliable and sophisticated boiling water solutions backed by over 40 years of market-leading expertise, a reputation for excellence and good old fashioned customer service.

Our commitment to innovative design and function is supported by our own research and development teams working in Australia, New Zealand and around the globe.

We have developed innovative, functional, cost-effective products that also demonstrate our commitment to economic and environmental responsibility.

Design, Form and Function by Rheem

The Lazer range of above bench instant boiling water units is perfect for small businesses through to large commercial operations — with capacities ranging from 3–40 litres in three distinct styles and easy clean white or stainless steel finish options.

Energy Saving by Rheem

Rheem instant boiling water units can reduce energy use by up to 40 per cent. The programmable sleep mode and timer functions will turn off heating energy when you don't need it, which adds up to a significant saving over a normal working week.

Nationwide Service by Rheem

All Rheem products are backed by a nationwide network of experienced sales and service centres, giving you the support you need, when you need it.

Our passion is to provide solutions designed to meet customer needs and reduce our impact on the environment.

LAZER® OFFICE

Stylish and efficient

The Rheem Lazer Office offers simplicity with efficiency.

An attractive asset to any workplace kitchen or boardroom, Rheem Lazer Office is packed with performance features with a modern, sophisticated look. It is available in two stylish finishes — powder coat white and easy clean brushed stainless steel.

Rheem Lazer Office is available in 3 and 5 litre capacities — equating to 20 to 35 cups¹ of ready to use boiling water and 123 cups¹ recovery per hour.

15:19 9

Perfect Fit

Among the features that ensure the Rheem Lazer Office is a perfect fit for the workplace are the stylish look and feel, an integrated tap and protection against running dry. In addition, a wall bracket is supplied for easy installation.

Seven Day Timer

The built-in, seven day timer ensures there is boiling water ready to use when you need it, but saves energy when no one is around. The sleep mode, when activated, automatically shuts down the Lazer Office if it hasn't been used for the programmed set period of time. These features can reduce energy use by up to 40%² over a normal working week.

Extended Warranty

Rheem Lazer Office carries a seven year warranty for tanks and a one year warranty for parts and labour.³

Rheem Lazer® Office has an integrated tap, built-in timer and display with an electronic controller that makes operation simple.

LAZER® ECO

Energy reduction

Cost-effective Boiling Water

Rheem Lazer Eco is a cost-effective boiling water unit designed for a wide range of installations such as the workplace or sports club.

Economic at its Core

It's easy to use with a one-touch button to switch on "Eco Mode" which, when activated, automatically turns the Lazer Eco off after two hours, reducing power consumption.

The indicator light shows red when heating and green when in energy conservation "Eco Mode", so you can see what it's doing at a glance. "Eco Mode" can reduce energy use by up to 40%.²

6

Easy to Clean

The white powder coat finish is easy to clean and the Lazer Eco comes in 3, 5, and 7.5 litre models delivering up to 50 cups¹ ready to use and up to 123 cups¹ of boiling water an hour. Automatic safety devices safeguard the unit against boiling dry and it also features automatic calibration of the boiling point for the altitude at which the unit is installed at.

Eco-mode is a unique one button control that gives you boiling water with reduced energy consumption.

11/

RHEEM LAZER® COMMERCIAL

High capacity

For the Busy Workplace

The Rheem Lazer Commercial is a high flow capacity boiling water unit designed for the demands of a commercial kitchen, sports club, busy workplace and more. The Lazer Commercial range has capacities of 7.5, 10, 15, 25, and 40 litres that can deliver from 50–247 cups¹ of boiling water ready to use and 123–241 cups¹ per hour.

Easy Operation

The features offered by the Commercial range of boiling water units include easy care and operation. The user friendly timer and controls are integrated into the fascia (stainless steel or powder coat white), leaving the surfaces smooth for cleaning. The control functions automatically return to your settings in the event of a power cut.

The Rheem Lazer[®] Commercial range can deliver from 50 to 247 cups of boiling water ready to use.

Energy Efficient, Smart Technology

The seven day timer ensures you have boiling water ready to use and turns the energy off when boiling water is not required. Sleep mode will turn off the system automatically when it has not been used for a set period of time. These features can reduce energy use by up to 40%² over a normal working week.

Extra Features

Automatic safety devices safeguard the unit against boiling dry and it also features automatic calibration of the boiling point for the altitude at which the unit is installed. The high flow tap offers up to 35%⁴ faster filling.



INSTALL A

RHEEM LAZER® PRODUCT DATA

Lazer Boiling Water Unit		Lazer Office		Lazer Eco			Lazer Commercial				
White		70103W-AU	70105W-AU	70303W-AU	70305W-AU	70307W-AU	70207W-AU	70210W-AU	70215W-AU	70225W-AU	70240W-AU
Stainless Steel		70103S-AU	70105S-AU				70207S-AU	70210S-AU	70215S-AU	70225S-AU	70240S-AU
Capacity	Litres	3	5	3	5	7.5	7.5	10	15	25	40
Delivery – Initial	Litres	3.5	6	3.5	6	8.5	8.5	11	17	27	42
	Cups ¹	20	35	20	35	50	50	65	100	159	247
Recovery ⁵	L/hr	17.5	21	17.5	21	21	21	21	21	33	41
— Mins to full heat	Mins	12	15	12	15	22	22	29	40	40	50
Weight empty	kg	6	8	6	8	9	9	10	15	17	19
Weight full	kg	10	15	10	15	19	19	22	34	47	67
Min water pressure	kPa	50	50	50	50	50	50	50	75	75	100
Max water pressure	kPa	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Input	kW	1.8	2.4	1.8	2.4	2.4	2.4	2.4	2.4	3.6	4.6
Electrical connections		Supplied with 10 amp 3 pin plug and flex Hard wired									
Plumbing connections		1/2" BSPM									
Dimensions	mm										
А		283	334	283	334	334	334	334	334	334	490
В		206	239	158	191	191	191	191	299	299	340
С		435	465	435	465	515	515	615	515	720	615
D		-	-	231	264	264	311	311	419	419	460
E		60	60	60	60	60	60	60	60	60	60
F		70*	70*	45	45	45	45	45	45	45	45
G		25	25	44	44	44	58	58	58	58	58
н		17	17	17	17	17	17	17	17	17	17
м		141.5	167	141.5	167	167	167	167	167	167	245
N		174	207	236	269	269	269	269	377	377	418

LAZER OFFICE (701 SERIES)

LAZER COMMERCIAL (702 SERIES) AND LAZER ECO (703 SERIES)





* 70mm includes 45mm to rear of unit plus 25mm for backing plate.

YOU'RE COVERED

When the time arrives to install your boiling water unit, Rheem Australia has got you covered. Organisations looking for practicality and topquality performance can rely on Rheem to provide a system to suit their needs.

Revolutionary Rheem developments ensure concerns for economy and environment are merged in cost effective, high performance systems for every workplace. For greater confidence, Rheem systems are backed by a national network of aftersales professionals. The Rheem Warranty and the Rheem Aftersales Network ensures you of expert technical advice and fast service.

For full warranty details please contact Rheem.

www.rheem.com.au



INSTALL A

RHEEM NATIONAL SERVICE 131 031

Confidence

THE RHEEM ADVANTAGE

Rheem Choice

Providing the best solutions for boiling water is Rheem's purpose and passion.

Our reputation has been built on consistently providing customers with the very best products — reliable, sophisticated and functional boiling water units.

Our commitment to well designed and functional products starts with research and development facilities located in Australia, New Zealand and around the globe. These facilities have developed revolutionary systems that combine customer requirements for reliability and functionality with economic and environmental concerns.

For you it means ready access to the best designs, manufacturing and back up available.

Rheem Service

Rheem products are supported by a network of experienced technical advisors and professional aftersales service technicians across Australia. No matter where you are, there is expert advice available, ensuring you get the support you need.

Rheem Guarantee

When the time comes to install your boiling water unit, Rheem provides convenience and top quality performance. This is guaranteed by our ongoing support and Individual Product warranty.³

WARRANTY:³

Rheem Lazer® Office 1 year warranty on parts and labour and 7 years for tank.

Rheem Lazer[®] Eco 1 year warranty on parts and labour and 1 year for tank.

Rheem Lazer® Commercial 1 year warranty on parts and labour and 5 years for tank.

Rheem Australia Pty Ltd

ABN 21 098 828 511 Rheem Head Office, 1 Alan Street, Rydalmere, New South Wales, 2116. National Sales Phone: 132 552 National Service Phone: 131 031

For further information contact us on 132 552 or visit our website at www.rheem.com.au Registered Trademark of Rheem Australia Pty Ltd

Important References

1. Cup size is 170mL.

- Potential energy consumption savings values are approximate and provided for general reference purposes only. Actual heat loss reductions will vary depending on the system installed, regional temperatures, geographical location and other factors.
 Conditions apply. For full warranty and details please contact Rheem or see Installation manual.
- Conditions apply. For full warranty and details please contact Rheem or see Installation manual.
 Based on Rheem flow rate of up to 11 Litres/min versus a competitors flow rate of up to 8 Litres/min.

5. Recovery based on a 77°C rise.

All specifications contained in this brochure are subject to change without notice. Please check the specifications are current at the time of ordering the appliance.



ISO 9001 Lic. QEC 14766 SAI Global



AS 3498 Lic. WMKA0177 SAI Global

INSTALL A