



SHP-0 200/300 Plus

HOT WATER HEAT PUMP

Efficient Hot Water Intelligent Control

This sleek, reliable appliance enhances hot water comfort while reducing gas reliance by harnessing ambient heat. It supports eco-friendly refrigerants and maximises energy efficiency, especially when paired with a PV system. Conveniently control it via app, even remotely, with WLAN connectivity, while your installer can adjust settings through the Servicewelt portal—often without an on-site visit.


Product features

- > Heats water efficiently year-round
- Available in 200 L and 300 L
- > R290 refrigerant with low GWP
- Control and monitor hot water from anywhere with the MyStiebel App (coming soon)
- > Quiet operation, perfect for recirculation air mode
- > Solar PV compatible optimises self-consumption
- > Low running costs (optimised recirculation)
-) Hygiene program and timer function
- > Smart element with end user options









Туре		SHP-0 200 Plus	SHP-O 300 Plus
Article no.		204472	204473
Height x diameter	mm	1475.5 x 650	1902.1 x 650
Weight	kg	114	123
Nominal capacity	L	200	300
Min./max. application limits*	°C	-7 / +43	-7 / +43
Max. DHW temperature with heat pump	°C	65	65
		1/N/PE 220-240	1/N/PE 220-240
Power supply		V 50 Hz	V 50 Hz
Average power consumption, heat pump			
(230 V) (A19/W15-61 I AS/NZS 5125.1)	kW	0.45	0.44
Auxiliary heater power consumption	kW	1.5	1.5
Max. operating current	Α	9.88	9.88
Safety valve connection		G 1/2	G 1/2
Energy efficiency class		A+	A+
Refrigerant		R290 (152g)	R290 (152g)
GWP		0.02 (IPCC)	0.02 (IPCC)
Timer		Functionality via app	Functionality via app
Sound pressure level at 3m			
distance, free field (EN 12102) dB(A)		40.7	40.7
COP (EN16147 / A20)		4.27	4.21

^{*}Element will be used in colder climates